

# THE BOTANICAL MAGAZINE TOKYO

VOL. 99 (1986)

Numbers 1053-1056, Pages 1-466

## EDITORIAL BOARD

- MITSUO CHIHARA : Editor-in-Chief, *Institute of Biological Sciences, University of Tsukuba, Sakura-mura, Niihari-gun, Ibaraki 305*
- KUNIO IWATSUKI : Editor, *Botanical Gardens, University of Tokyo, Hakusan, Bunkyo-ku, Tokyo 112*
- SATORU MURAKAMI : Editor, *Department of Biology, University of Tokyo, Komaba, Meguro-ku, Tokyo 153*
- 
- |   |  |
|---|--|
| SHIGERU IIZUMI, <i>Tohoku University</i>                    | ITARU TAKEBE, <i>Nagoya University</i>               |
| NARIYUKI ISHIKURA, <i>Kumamoto University</i>               | RYUSO TANAKA, <i>Hiroshima University</i>            |
| MASAYUKI KATSUMI, <i>International Christian University</i> | SHIGEYUKI TANIFUJI, <i>Hokkaido University</i>       |
| SHOICHI KAWANO, <i>Kyoto University</i>                     | MASAMITSU WADA, <i>Tokyo Metropolitan University</i> |
| ATSUSHI KOMAMINE, <i>Tohoku University</i>                  | KYOJI YODA, <i>Osaka City University</i>             |

THE BOTANICAL SOCIETY OF JAPAN



# CONTENTS

## THE BOTANICAL MAGAZINE, TOKYO

Vol. 99

### No. 1053 (March 1986)

SUEHIRO, K., H. OGAWA AND K. HOZUMI: Competition between Two Naturalized Dandelions, <i>Taraxacum officinale</i> Weber and <i>Taraxacum laevigatum</i> DC., in Mixed Cultures with Different Levels of Soil Moisture .....	1
OKAGAMI, N.: Dormancy in <i>Dioscorea</i> : Different Temperature Adaptation of Seeds, Bulbils and Subterranean Organs in Relation to North-South Distribution .....	15
TASHIRO, M. AND H. HATTA: Two New Species of the Genus <i>Menziesia</i> from Japan ....	29
KANZAKI, M. AND K. YODA: Regeneration in Subalpine Coniferous Forests. II. Mortality and the Pattern of Death of Canopy Trees .....	37
IWASHINA, T., S. OOTANI AND K. HAYASHI: Determination of Minor Flavonol-Glycosides and Sugar-Free Flavonols in the Tepals of Several Species of Cereoideae (Cactaceae) ..	53
KAWASAKI, M., T. KANOMATA AND K. YOSHITAMA: Flavonoids in the Leaves of Twenty-Eight Polygonaceous Plants .....	63
BABBAR, S.B. AND S.C. GUPTA: Induction of Androgenesis and Callus Formation in <i>in vitro</i> Cultured Anthers of a Myrtaceous Fruit Tree ( <i>Psidium guajava</i> L.) .....	75
IMAICHI, R. AND M. NISHIDA: Developmental Anatomy of the Three-Dimensional Leaf of <i>Botrychium ternatum</i> (Thunb.) Sw. ....	85
MASUYAMA, S.: Reproductive Biology of the Fern <i>Phegopteris decursive-pinnata</i> . II. Genetic Analyses of Self-Sterility in Diploids .....	107
HORI, T., R.E. NORRIS AND M. CHIHARA: Studies on the Ultrastructure and Taxonomy of the Genus <i>Tetraselmis</i> (Prasinophyceae). III. Subgenus <i>Parviselmis</i> .....	123

### No. 1054 (June 1986)

TAKAHASHI, H.: Pollen Morphology of <i>Pyrola</i> and Its Taxonomic Significance .....	137
ITONO, H.: Female Reproductive Organization and Systematic Position of <i>Plumariella yoshikawae</i> Okamura (Ceramiaceae, Rhodophyta) .....	155
ITO, M.: Studies in the Floral Morphology and Anatomy of Nymphaeales. III. Floral Anatomy of <i>Brasenia schreberi</i> Gmel. and <i>Cabomba caroliniana</i> A. Gray .....	169
HOSHINO, T. AND T. SHIMIZU: Cytological Studies on Degenerative Nuclei at Pollen Development of <i>Carex ciliato-marginata</i> .....	185
NISHIDA, M. AND H. NISHIDA: Structure and Affinities of the Petrified Plants from the Cretaceous of Northern Japan and Saghalien III. Petrified Plants from the Upper Cretaceous of Saghalien (1) .....	191
NISHIDA, H. AND M. NISHIDA: Structure and Affinities of the Petrified Plants from the Cretaceous of Northern Japan and Saghalien IV. Petrified Plants from the Upper Cretaceous of Saghalien (2) .....	205
OIKAWA, T.: Simulation of Forest Carbon Dynamics Based on a Dry-Matter Production Model. II. Effects of Dry Season upon a Tropical Rainforest Ecosystem .....	213
BABBAR, S.B. AND S.C. GUPTA: Obligatory and Period Specific Requirement of Iron for Microspore Embryogenesis in <i>Datura metel</i> Anther Cultures .....	225
KOIWA, H., T. IKEDA AND Y. YOSHIDA: Reversal of Chromoplasts to Chloroplasts in <i>Buxus</i> Leaves .....	233



## No. 1055 (September 1986)

TAKASO, T. AND F. BOUMAN: Ovule and Seed Ontogeny in <i>Gnetum gnemon</i> L. ....	241
KOHYAMA, T.: Tree Size Structure of Stands and Each Species in Primary Warm-Temperate Rain Forests of Southern Japan .....	267
OKAZAKI, M., H. SETOGUCHI, H. AOKI AND S. SUGA: Application of Soft X-Ray Microradiography to Observation of Cystoliths in the Leaves of Various Higher Plants ....	281
OKADA, H.: Karyomorphology and Relationships in Some Genera of Saururaceae and Piperaceae .....	289
UEDA, K., P. ABHAYAVARDHANI AND T. NOGUCHI: Formation of the Nuclear Envelope during Mitotic Anaphase in <i>Spirogyra</i> .....	301
IMAICHI, R.: Surface-Viewed Shoot Apex of <i>Angiopteris lygodifolia</i> Ros. (Marattiaceae) ..	309
HARA, T., F. KOIKE AND K. MATSUI: Crowding Effect in Marine Macrophytic Algae Populations .....	319

## No. 1056 (December 1986)

YAMAMURA, Y.: Matter-Economical Roles of the Evergreen Foliage of <i>Aucuba japonica</i> , an Understory Shrub in the Warm-Temperate Region of Japan. 1. Leaf Demography, Productivity and Dry Matter Economy .....	323
UEDA, K.: Vascular Systems in the Magnoliaceae .....	333
SOOD, S.K. AND P.R.M. RAO: Gametophytes, Embryogeny and Pericarp of <i>Microstylis wallichii</i> Lindl. (Orchidaceae) .....	351
SATO, T.: Life History Characteristics of <i>Polystichum tripterum</i> with Special Reference to Its Leaf Venation .....	361
KOBATA, T. AND S. TAKAMI: Changes in Respiration, Dry-Matter Production and Its Partition in Rice ( <i>Oryza sativa</i> L.) in Response to Water Deficits during the Grain-Filling Period .....	379
MOTOMURA, S., K. SHINOZAKI AND K. YODA: Competition between Two Similar Plant Varieties, Green Shrunk Perilla and Red Shrunk Perilla, in Mixed Cultures ....	395
HORI, Y. AND Y. OSHIMA: Life History and Population Dynamics of the Japanese Yam, <i>Dioscorea japonica</i> Thunb. I. Effects of Initial Plant Size and Light Intensity on Growth .....	407
OIKAWA, T.: Simulation of Forest Carbon Dynamics Based on a Dry-Matter Production Model. III. Effects of Increasing CO <sub>2</sub> upon a Tropical Rainforest Ecosystem ..	419
KODAMA, A.: A Comparative Karyological and Cytophotometric Study of Normal and Wounded Stem Tissues of <i>Lathyrus odoratus</i> L. ....	431
KADONO, Y. AND E.L. SCHNEIDER: Floral Biology of <i>Trapa natans</i> var. <i>japonica</i> .....	435

## INVITED ARTICLE

KAMIYA, N.: Cytoplasmic Streaming in Giant Algal Cells: A Historical Survey of Experimental Approaches .....	441
--	-----

## AUTHOR INDEX

## THE BOTANICAL MAGAZINE, TOKYO

## Vol. 99

ABHAYAVARDHANI, P.	301	NISHIDA, H.	191, 205
AOKI, H.	281	NISHIDA, M.	85, 191, 205
BABBAR, S.B.	75, 225	NOGUCHI, T.	301
BOUMAN, F.	241	NORRIS, R.E.	123
CHIHARA, M.	123	OGAWA, H.	1
GUPTA, S.C.	75, 225	OIKAWA, T.	213, 419
HARA, T.	319	OKADA, H.	289
HATTA, H.	29	OKAGAMI, N.	15
HAYASHI, K.	53	OKAZAKI, M.	281
HORI, T.	123	OOTANI, S.	53
HORI, Y.	407	OSHIMA, Y.	407
HOSHINO, T.	185	RAO, P.R.M.	351
HOZUMI, K.	1	SATO, T.	361
IKEDA, T.	233	SCHNEIDER, E.L.	435
IMAICHI, R.	85, 309	SETOGUCHI, H.	281
ITO, M.	169	SHIMIZU, T.	185
ITONO, H.	155	SHINOZAKI, K.	395
IWASHINA, T.	53	SOOD, S.K.	351
KADONO, Y.	435	SUEHIRO, K.	1
KAMIYA, N.	441	SUGA, S.	281
KANOMATA, T.	63	TAKAHASHI, H.	137
KANZAKI, M.	37	TAKAMI, S.	379
KAWASAKI, M.	63	TAKASO, T.	241
KOBATA, T.	379	TASHIRO, M.	29
KODAMA, A.	431	UEDA, K.	301
KOHYAMA, T.	267	UEDA, K.	333
KOIKE, F.	319	YAMAMURA, Y.	323
KOIWA, H.	233	YODA, K.	37, 395
MASUYAMA, S.	107	YOSHIDA, Y.	233
MATSUI, K.	319	YOSHITAMA, K.	63
MOTOMURA, S.	395		

# Index of Key Words

<b>A</b>					Dormancy	15
Androgenesis	75				Dry matter economy	323
Anther culture	225				Dry-matter production	213, 419
Apical cell	309				Dry-season	213
Aquatic weed management	435					
<i>Aucuba japonica</i>	323				<b>E</b>	
Axis of the inflorescence	29				Embryo	351
					Eusporangiate ferns	309
<b>B</b>					Evergreen	323
<i>Balliella</i>	155				Exine sculpture	137
<i>Brasenia</i>	169					
Browning	75				<b>F</b>	
					Fern	107
<b>C</b>					Flavonoids	63
<i>Cabomba</i>	169				Flavonols	53
Cactaceae	53				Floral anatomy	169, 333
Calcium carbonate deposition	281				Forest succession	419
Calli	75					
Carbon dynamics	213, 419				<b>G</b>	
<i>Carex ciliato-marginata</i>	185				Gametophytes	351
Cell model	441				Gap formation	37
Cell surgery	441				<i>Gnetum</i>	241
Cellular perfusion	441				Grain-filling period	379
<i>Chara</i>	441				Gymnosperms	241
Chromoplasts	233					
Chromosome number	289				<b>I</b>	
Cold pretreatment	75				Increasing atmospheric CO <sub>2</sub>	419
Competition	395				Infrageneric system	137
Competition coefficient	395				Integument	241
Coniferous woods	191, 205				Integuments initiation	351
Conversion efficiency	379				Interference contrast microscopy	309
Coptiside II	53				Interspecific competition	1
Cortical vascular system	333				Intragametophytic selfing	107
Cretaceous	191, 205				Intra-species	361
Critical plant size	407				Iron	225
Crowding effect	319					
Crown gall induction	431				<b>K</b>	
Cystolith	281				Karyomorphology	289
Cytoplasmic streaming	441					
					<b>L</b>	
<b>D</b>					<i>Lathyrus odoratus</i>	431
<i>Datura metel</i>	225				Latitudinal distribution	15
Degenerative nucleus	185				Leaf demography	323
Delesseriopsidae	155				Leaf life span	323
<i>Delesseriopsis elegans</i>	155				Leaf-shape	361
Deleterious gene	107				Leaf-size parameters	361
Density conversion factor	1, 395				Leaf water potential	379
Developmental anatomy	85				Lithocyst	281
<i>Dioscorea</i>	15				Lotka-Volterra's equation	395
<i>Dioscorea japonica</i>	407					
Diploid genetic system	107				<b>M</b>	
Distribution pattern	63				Magnoliaceae	333
DNA content	431				Marattiaceae	309



			v
<i>Menziesia</i>	29	Respiration	379
<i>Menziesia katsumatae</i>	29	Reversal to chloroplasts	233
<i>Menziesia yakushimensis</i>	29	Rhodophyta	155
Microspore embryogenesis	225		
<i>Microstylis wallichii</i>	351	<b>S</b>	
Mitosis	301, 431	Saghalien	191, 205
Morphology	241	<i>Sargassum</i>	319
Mortality	37	Saururaceae	289
		Seed coat	241
<b>N</b>		Seed germination	15
Narcissin	53	Self-sterility	107
New species of <i>Menziesia</i>	29	Shade avoidance	407
Nicotiflorin	53	Shade tolerance	407
<i>Nitella</i>	441	Shoot apex	309
Non-interaction type (NI-type)		Shoot morphology	407
reciprocal equation	395	Simulation model	213, 419
Nuclear DNA content	185	Soil moisture content	1
Nuclear envelope	301	<i>Spirogyra</i>	301
Number of venation	361	Sporophyll	85
Nymphaeaceae	169	Stand development	267
		Standing dead	37
<b>O</b>		Stem broken	37
Obligatory	225	Subalpine forest	37
Ophioglossaceae	85	Subtidal marine macrophytic algae	319
Orchidaceae	351	Sugar-free quercetin	53
Ovule	241	Systematics	155
<b>P</b>		<b>T</b>	
Parastichous (sympodial) pattern	333	<i>Taraxacum laevigatum</i>	1
<i>Parviselmis</i>	123	<i>Taraxacum officinale</i>	1
Pericarp	351	Taxonomy of <i>Tetraselmis</i>	123
<i>Perilla frutescens</i>	395	Temperature adaptation	15
Period specific	225	Three-dimensional leaf	85
Petrified plants	191, 205	<i>Trapa natans</i>	435
<i>Phegopteris</i>	107	Trophophyll	85
Photosynthesis	379	Tropical rainforest	213, 419
Phylogeny	289	Trunk diameter distribution	267
Piperaceae	289	Tuber sprouting	15
Piperales	289		
Plastid fine structure	233	<b>U</b>	
<i>Plumariella yoshikawae</i>	155	Ultrastructure of <i>Tetraselmis</i>	123
Pollen development	185	Uprooting	37
Pollen embryoids	75		
Pollen morphology	137	<b>V</b>	
Pollination	435	Vascular system	333
Polygonaceae	63	Vegetative shoot	333
<i>Polystichum tripterum</i>	361		
3/2 Power law	319	<b>W</b>	
Prasinophyceae	123	Warm-temperate rain forest	267
<i>Psidium guajava</i>	75	Water deficits	379
<i>Pyrola</i>	137	Wounded stem	431
<b>R</b>		<b>X</b>	
Ratio of pinna to blade length	361	X-ray microradiography	281
Receptacular plexus	169		
Regreening <i>Buxus</i> leaves	233	<b>Y</b>	
Regression model	267	Yakushima Island	267

## Acknowledgement to Reviewers for Vol. 99

The Editorial Board is grateful to the following reviewers for their cooperation in examining the manuscripts submitted to the Botanical Magazine, Tokyo, Vol. 99.

DOI, Y.  
FUJII, T.  
FUJITA, N.  
FUKUDA, Y.  
GRANT, V.  
HARA, N.  
HATANAKA, S.  
HAYASHI, I.  
HAYASHI, T.  
HIROSE, T.  
HORI, T.  
HOZUMI, K.  
INO, T.  
IKUSHIMA, I.  
ITO, K.  
ITO, M.  
IWAKI, H.  
KAMISAKA, S.  
KASHIWADANI, H.  
KATO, M.  
KIMURA, M.  
KOBAYASHI, H.  
KURITA, S.  
KUROKAWA, S.  
MIKAMI, H.  
MIKI, H.  
MINAMIKAWA, T.  
MITSUI, K.  
MORITA, N.

NISHINO, E.  
NOMOTO, N.  
OGINO, K.  
OHBA, H.  
OHSAWA, M.  
OIKAWA, T.  
ONO, M.  
SAEKI, T.  
SAKAMOTO, S.  
SATO, S.  
SATO, Y.  
SOMA, K.  
TAMURA, M.  
TANAKA, K.  
TATEOKA, T.  
TOBE, H.  
TOHYAMA, S.  
TOKUMASU, S.  
TOTSUKA, T.  
UEDA, K.  
WYNNE, M.  
YAMAKURA, T.  
YAMASHITA, T.  
YAMAZAKI, T.  
YOKOI, Y.  
YOSHIDA, O.  
YOSHIDA, S.  
YOSHIDA, T.  
YOSHIDA, Y.



## INSTRUCTIONS TO AUTHORS (Revised October, 1985)

1. The Botanical Magazine, Tokyo is an international journal dedicated to the dissemination of fundamental knowledge in all areas of plant sciences. Only original papers, including short communications, and invited review articles in English will be considered. Short communications should contain important new information and will be published in the earliest possible issue. Manuscripts are accepted for review with the understanding that the same work has not been and will not be published nor is presently being submitted elsewhere and that all persons listed as authors have given their approval for the submission of the paper. By submitting a manuscript, the authors agree that the copyright for their article will be transferred to the Botanical Society of Japan if and when the article is accepted for publication. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform and other reproductions of similar nature, and translations.
2. Manuscripts should be written in clear, concise and grammatical English. In addition to the original typewritten manuscript, two copies each of text material, tables and figures should be submitted. Photographic figures must be submitted in triplicate. Authors who are uncertain about proper English usage should have their manuscripts checked prior to submission by someone proficient in the English language.
3. Full papers are limited to 16 printed pages in length including tables, figures and abstract. Short communications are limited to four printed pages. With the approval of the Editorial Board, additional pages can be published only at the author's expense (2,000 yen per page).
4. If none of the authors is a member of the Botanical Society of Japan, the authors must agree to pay a charge of 2,000 yen for each printed page. In this case, the manuscript, if accepted, will be published only after commitment to pay the charge by the authors or the financial officer of their institution.
5. Preparation of Manuscript Copy :
  - A. Double-space everything. Use good-quality paper of 28×21 cm or A4 size. Each typewritten page usually consists of 25 lines, each line having approximately 65 characters (two and half typewritten pages should be approximately equivalent to one printed page).
  - B. Arrange the manuscript copy in the order listed below and number all pages consecutively, including tables and figures, in the upper right-hand corner. In addition, indicate the following items on a separate cover sheet: (1) name and address for mailing galley proofs, (2) running title with less than 40 characters, and (3) the number of tables and figures.
    - a. Title of the paper, authors' names and institutions and footnotes (abbreviations, symbols, etc.)
    - b. Abstract: This should be a lucid digest of the paper, not exceeding 200 words for a full paper, less than 50 words for a short communication.
    - c. Key words: Alphabetically arrange less than 6 words or phrases which identify the most important subjects covered by the paper.
    - d. Text: Preparation of the text with the headings of Introduction, Materials and Methods, Results, and Discussion is suggested. Short communications should follow the style of full papers, but the headings should be omitted.
    - e. References cited: References cited in the text should be arranged alphabetically according to author on a separate sheet. Each reference should be given in the following order: (1) authors' names, (2) year of publication, (3) title of the

paper, (4) name of the journal (or book), (5) volume and page. Draw a wavy line under the volume number. For a single book, the name of the publisher and its location should be indicated.

Examples :

Bassham, J.A. and M. Calvin. 1957. The Path of Carbon in Photosynthesis. Prentice-Hall, Englewood Cliffs, New Jersey.

Esau, E. 1945. Vascularization of the vegetative shoots in *Helianthus* and *Sambucus*. Amer. J. Bot. **32** : 18-29.

Torrey, J.Q. 1965. Physiological bases of organization and development in the root. In : A. Lang, ed., Encyclopedia of Plant Physiology, vol. **xv**/1 : 1256-1327, Springer-Verlag, Berlin.

f. Tables : In addition to the heading, a lucid legend to explain the meaning of the content without requiring reference to the text should be included above the table. With the approval of the Editorial Board, the folders of tables can be published only at the authors' expense.

g. Legends for figures and plates : In addition to the heading, a lucid legend should explain the meaning of the figure without requiring reference to the text. These legends should be grouped on a separate sheet.

h. Figures and plates : Plates submitted should be of a size less than  $27 \times 18$  cm. On the back of each figure or plate, indicate the authors' names, the number of the figure and its orientation. If a scale is necessary for the plate, it should be indicated. With the approval of the Editorial Board, colored illustrations can be published only at the authors' expense.

C. Text references should be made using the authors' names (for three or more authors use Doe *et al.*) followed by the year of publication.

Example :

Hall and Cocking (1966) reported that ———, ——— (Hall and Cocking, 1966).

D. The place of insertion of tables and/or figures in the text should be indicated on the right-hand margin of the sheet.

E. Units of measurement should of the metric system. Use Arabic numerals. For the use of Latin names, consult the International Code of Botanical Nomenclature.

6. Manuscripts not conforming to the aforementioned rules will be returned to the authors.

7. Whether or not the manuscript is accepted, amendment of the manuscript and the order of publication are to be decided by the Editorial Board.

8. Galley proofs will be sent directly from the printing company to the person designated. The authors are responsible for reading the first galley proof. No change of the content of the manuscript is permitted on the galley proof. If the Editorial Board recognizes the necessity for a change, this change will be made at the authors' expense.

9. The authors will receive free of charge 50 offprints without covers. Additional copies and covers can be obtained at cost.

10. All manuscripts should be sent by registered mail to the following address :

Editorial Office


The Botanical Society of Japan

Toshin Building

Hongo 2-27-2, Bunkyo-ku, Tokyo 113, Japan

11. The manuscripts of the papers published will not be returned to the authors. However, figures and plates will be returned upon request by the authors after the paper has been published.





An International Journal published by  
The Japanese Society of Plant Physiologists

# PLANT AND CELL PHYSIOLOGY

*PLANT AND CELL PHYSIOLOGY* (1 volume of 8 issues per year) is a journal devoted to the publication of original papers of quality in broad areas of the plant sciences that include physiology, biochemistry, biophysics, chemistry, molecular biology, cell biology, and gene engineering of plants and microorganisms.

Members of the Japanese Society of Plant Physiologists receive *PLANT AND CELL PHYSIOLOGY* and are entitled to submit papers to the Journal. Publication time averages four to six months after submission of a manuscript.

Prospective contributors to *PLANT AND CELL PHYSIOLOGY* should note that there is  
**no manuscript handling charge,**  
**no page charge,**  
**no page limit except for Short Communication,**  
**no charge for plates (except for color),**  
**proof of electron microscopic plates in three tones,**  
**two hundred free reprints and**  
**worldwide distribution to more than 70 countries.**

We invite you to join our Society and to contribute to *PLANT AND CELL PHYSIOLOGY*. Subscriptions from institutions also are welcome.

Annual membership for individuals is \$ 30.00 (U.S.), and the annual subscription fee for institutions is \$ 110.00 (U.S.).

To apply, please fill in the following form and mail it to:

**The Japanese Society of Plant Physiologists,  
Shimotachiuri Ogawa-Higashi, Kamikyo-ku, Kyoto 602, Japan**



**Application for      Membership in the Japanese Society of Plant Physiologists and  
Subscription to PLANT AND CELL PHYSIOLOGY**

Name\* : .....

Address\* : .....

Country\* : .....

Check the appropriate blank.

- ☐ \$ 30.00 for membership enclosed  
☐ \$ 110.00 for subscription enclosed

- ☐ Please send bill for membership  
☐ Please send bill for subscription

Date .....

Signature .....

\* Type or print in block capitals.



*An official organ of the Society for  
Experimental Biology and designated an  
Official Journal of the Federation of  
European Societies for Plant Physiology.*

W W Schwabe

The Journal is international in its coverage and suitable papers are accepted worldwide and regardless of membership of the SEB. Two-thirds of papers published are from outside the UK. It is the policy of the Journal to publish research papers on all aspects of experimental botany, including physiological, biochemical, and biophysical studies, as well as those relating to functional anatomy and ultrastructure, etc. Reviews of significant and relevant books are being published regularly.

There are no page charges

Contributors receive 100 offprints of their articles free of charge.

The journal is published monthly.

**PRICES:** Annual subscriptions 1986 (Vol. 37) £110 UK, US\$230. N. America, £135 Elsewhere  
Single Issues 1986 £13 UK, US\$23.50 N. America, £14 Elsewhere

**REDUCED RATES ARE AVAILABLE TO MEMBERS OF THE SEB OR TO INDIVIDUALS WHO ARE AFFILIATED TO THE FESPP.** Please contact the respective society for rates

**ORDER FORM** Please complete the order form and return (with payment) to **Journals Subscription Department, Oxford University Press, Walton Street, Oxford OX2 6DP UK**

- ☐ Please record my subscription to **Journal of Experimental Botany** Volume 37 (1986)

- ☐ Please send me a free sample copy

- ☐ I enclose my remittance of .....

Name .....

Address .....

- ☐
- I wish to pay by Visa/Access/Diners/American Express

[illegible]

Expiry date ..... Signature .....

If address registered with credit card company differs from that given above please give details

OXFORD JOURNALS

Journals Subscription Department, OUP, Walton Street, Oxford OX2 6DP, UK